# **PRODUCT** INFORMATION



## DSPE-MPEG(2000) (sodium salt)

Item No. 28181

Formal Name:	α-[6-hydroxy-6-oxido-1,12-dioxo-9-[(1- oxooctadecyl)oxy]-5,7,11-trioxa-2-aza-6-	
	phosphanonacos-1-yl]-ω-methoxy-poly(oxy-1,2-	
	ethanediyl), monosodium salt	
Synonyms:	1,2-Distearoyl- <i>ras</i> -glycero-3-PE-N-	
	Polyethyleneglycol-2000,	
	1,2-Distearoyl- <i>ras</i> -glycerol-3-	
	Phosphatidylethanolamine-N-	
	Polyethyleneglycol-2000,	
	1,2-Distearoyl- <i>ras</i> -glycerol-	
	3-Phosphoethanolamine-N-	
	Polyethyleneglycol-2000	
MF:	$(C_{2}H_{4}O)_{n}C_{43}H_{83}NO_{10}P \bullet Na$	
Purity:	≥95%	
Supplied as:	A solid	
Storage:	-20°C	
Stability:	≥2 years	
1		

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

#### Laboratory Procedures

DSPE-MPEG(2000) (sodium salt) is supplied as a solid. A stock solution may be made by dissolving the DSPE-MPEG(2000) (sodium salt) in the solvent of choice, which should be purged with an inert gas. DSPE-MPEG(2000) (sodium salt) is soluble in the organic solvent dimethyl formamide (DMF) at a concentration of approximately 2.5 mg/ml.

DSPE-MPEG(2000) (sodium salt) is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, DSPE-MPEG(2000) (sodium salt) should first be dissolved in DMF and then diluted with the aqueous buffer of choice. DSPE-MPEG(2000) (sodium salt) has a solubility of approximately 0.5 mg/ml in a 1:1 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

#### Description

DSPE-MPEG(2000) is a PEGylated derivative of 1,2-distearoyl-sn-glycero-3-PE (DSPE; Item No. 15095). Formulations containing DSPE-MPEG(2000) have been used in the synthesis of liposomes for the delivery of anticancer and antimalarial agents.<sup>1-3</sup>

#### References

- 1. Hasan, G.M., Garg, N., Dogra, E., et al. Inhibition of the growth of Plasmodium falciparum in culture by stearylamine-phosphatidylcholine liposomes. J. Parasitol. Res. 120462 (2011).
- 2. Rathore, S.S. and Ghosh, P.C. Effect of surface charge and density of distearylphosphatidylethanol amine-mPEG-2000 (DSPE-mPEG-2000) on the cytotoxicity of liposome-entrapped ricin: Effect of lysosomotropic agents. Int. J. Pharm. 350(1-2), 79-94 (2008).
- 3. Haghiralsadat, F., Amoabediny, G., Helder, M.N., et al. A comprehensive mathematical model of drug release kinetics from nano-liposomes, derived from optimization studies of cationic PEGylated liposomal doxorubicin formulations for drug-gene delivery. Artif. Cells Nanomed. Biotechnol. 46(1), 169-177 (2018).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/10/2019

### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM